

DOCKET NO.: PHRM0027-101/00159.US1
SERIAL NO.: 09/738,022

PATENT
FILED: December 15, 2000

In the Claims:


This listing of claims will replace all prior versions, and listings, of claims in the application.

Please add new claims 27-35.

Please amend claims 1-6 and 18 as follows:

STATUS OF CLAIMS

1. (currently amended) A composition comprising a compound comprising the of formula



wherein:

X and Y are, independently, F, H or CH₃;


R¹ is H or I;

R² is H or OH;

R³ is H or C₁-C₃ alkyl;

L is a bond or -OCH₂C(=O); and

Q is



wherein:

DOCKET NO.: PHRM0027-101/00159.US1
SERIAL NO.: 09/738,022

PATENT
FILED: December 15, 2000

R⁴ is H, CH₃, CH₂CH₃ or cyclopropyl; and

Z is O or S;

or a pharmaceutically acceptable salt thereof.

2. (currently amended) ~~A compound~~ The composition of claim 1 wherein X is F, Y is H, R³ is H, and R⁴ is CH₃.

3. (currently amended) ~~A compound~~ The composition of claim 1 wherein said compound is 2-[4-[4-[(5S)-5-[(Acetylamino)methyl]-2-oxo-3-oxazolidinyl]-2-fluorophenyl]-1-piperazinyl]-2-oxoethyl-4-azido-2-hydroxy-5-iodo-¹²⁵I-benzoate.

4. (currently amended) ~~A compound~~ The composition of claim 1 wherein said compound is N-[[[(5S)-3-[4-[4-(4-Azido-2-hydroxy-5-iodo-¹²⁵I-benzoyl)-1-piperazinyl]-3-fluorophenyl]-2-oxo-5-oxazolidinyl]methyl]acetamide.

5. (currently amended) ~~A compound~~ The composition of claim 1 wherein said compound is 2-[4-[4-[(5S)-5-[(Acetylamino)methyl]-2-oxo-3-oxazolidinyl]-2-fluorophenyl]-1-piperazinyl]-2-oxoethyl 4-azido-3-iodo-¹²⁵I-benzoate.


6. (currently amended) ~~A compound~~ The composition of claim 1 wherein said compound is N-[[[(5S)-3-[4-[4-(4-Azido-3-iodo-¹²⁵I-benzoyl)-1-piperazinyl]-3-fluorophenyl]-2-oxo-5-oxazolidinyl]methyl]acetamide.

Claims 7-17 (cancelled)

DOCKET NO.: PHRM0027-101/00159.US1
 SERIAL NO.: 09/738,022

PATENT
 FILED: December 15, 2000

18. (currently amended) A method of using a compound comprising the of formula



wherein:

X and Y are, independently, F, H or CH₃;


R⁸ is H or I;

R⁹ is H or OH;

R¹⁰ is H or C₁-C₈ alkyl;

L is a bond or -OCH₂C(=O); and

Q is



wherein:

R¹¹ is H, CH₃, CH₂CH₃ or cyclopropyl; and

Z is O or S;

or a pharmaceutically acceptable salt thereof, as a photoaffinity probe.

19. (original) The method of claim 18 comprising the steps:
 contacting a cell or component thereof with said compound, wherein said compound is radiolabeled;
 exposing said radiolabeled compound to light; and
 detecting said radiolabel.


DOCKET NO.: PHRM0027-101/00159.US1
 SERIAL NO.: 09/738,022

PATENT
 FILED: December 15, 2000

20. (original) The method of claim 19 further comprising contacting said cell or components thereof with a competitor compound.

Claims 21-26 (cancelled)

27. (new) A compound of formula



wherein:

X and Y are, independently, F, H or CH₃;


R¹ is H or I;

R² is H or OH;

R³ is H or C₁-C₈ alkyl;

L is a bond or -OCH₂C(=O); and

Q is



wherein:

R⁴ is H, CH₃, CH₂CH₃ or cyclopropyl; and

Z is O or S;

DOCKET NO.: PHRM0027-101/00159.US1
SERIAL NO.: 09/738,022

PATENT
FILED: December 15, 2000

or a pharmaceutically acceptable salt thereof.

28. (new) The compound of claim 27 wherein X is F, Y is H, R³ is H, and R⁴ is CH₃.

29. (new) The compound of claim 27 wherein said compound is 2-[4-[4-[(5S)-5-[(Acetylamino)methyl]-2-oxo-3-oxazolidinyl]-2-fluorophenyl]-1-piperazinyl]-2-oxoethyl-4-azido-2-hydroxy-5-iodo-¹²⁵I-benzoate.

30. (new) The compound of claim 27 wherein said compound is N-[[[(5S)-3-[4-[4-(4-Azido-2-hydroxy-5-iodo-¹²⁵I-benzoyl)-1-piperazinyl]-3-fluorophenyl]-2-oxo-5-oxazolidinyl)methyl]acetamide.

31. (new) The compound of claim 27 wherein said compound is 2-[4-[4-[(5S)-5-[(Acetylamino)methyl]-2-oxo-3-oxazolidinyl]-2-fluorophenyl]-1-piperazinyl]-2-oxoethyl 4-azido-3-iodo-¹²⁵I-benzoate.

32. (new) The compound of claim 27 wherein said compound is N-[[[(5S)-3-[4-[4-(4-Azido-3-iodo-¹²⁵I-benzoyl)-1-piperazinyl]-3-fluorophenyl]-2-oxo-5-oxazolidinyl)methyl]acetamide.

33. (new) A method of using a composition according to claim 1 as a photoaffinity probe.

34. (new) The method of claim 33 comprising the steps:
contacting a cell or component thereof with said compound, wherein said compound is radiolabeled;
exposing said radiolabeled compound to light; and
detecting said radiolabel.

35. (new) The method of claim 34 further comprising contacting said cell or components thereof with a competitor compound.